

PRODUCT IDENTIY / TRADE NAME : Coated abrasives

( cloth rolls, endless belt, fibre disc, flap disc)

**PRODUCT USE**: Metals, wood, plastics, marble e Stones, building materials

### HAZARDS IDENTIFICATION

According to EC Directive Nr. 1999/45/EC, coated abrasives are not dangerous products.

#### **COMPOSITION / INFORMATION ON INGERDIENTS**

The product contains the following ingredients which are classified according to 67/548/EC and 99/45/EC.

Name	CAS	EINECS	Concentration range	Classification / Risk Code
Cryolite Na3AlF6	15096-52-3	237-410-6 239-148-8	> %95	Halide Complexes 20/22-48/23/25-51/53
Resine	9003-35-4	211-765-7		Reach certificate nr:GD458246-46
Calciun carbonate CaCO3	471-34-1	207-493-9		-
ALOX grit	1344-28-1	215-691-6	% 0-30	-
Zr grit	13114-23-4	215-227-2	% 0-30	-
Epoxy resine	25068-38-6	500-033-5		Xi,N R36/38-43-51/53
Aerosil	112-945-52-5 7631-86-9	231-545-4		
Emulan	68439-49-6			
MEG	107-21-1	203-473-3		R22

### **FIRST AID MEASURES**

Only applicable when coated abrasives are in use on machines during grinding operation. The following recommendations are basic rules during use of coated abrasives and have to be completed by the information given in the safety data sheets of the material and of the cooling liquid, if any used.

Skin contact: No hazardous effect known. Wash dust from skin with soap and water.

**Eye contact**: Flush eyes with clean water ,holding open eyelids. If irritation persists, get medical assistance.

**Dust inhalation**: If overexposed to dust, remove victim to fresh air and get medical assistance.

Ingestion: If sanding dust is swallowed, get medical assistance if needed.

## **FIRE FIGHTING MEASURES**

**<u>Flammability</u>**: When exposed to direct flame, combustion occur. Backings and cured resin will burn and/or decompose, use respiratory protection.

Flammable limits: LEL: N/A UEL: N/A

*Flash point*: Non-combustible.



Extinguishing media: water, carbon dioxide, dry chemical, foam, sand can be used if appropriate to surrounding fire conditions.

Unusual fire and explosion hazards: N/A

### HANDLING AND STORAGE

**Recommended work practices:** Use in adequate ventilated areas.

Avoid breathing dust. Wash thoroughly after handling and use, especially before eating, drinking.

Store in dry location, at controlled temperature and humidity conditions.

( 18-22 °C and 45-65 % humidity)

For additional work practice requirements refer to FEPA Safety Leaflets for the use of coated abrasives.

### PERSONAL PROTECTION

During use, refer to the instructions of operating machines and to National rules and respect the recommended maximum speed of use. Refer to FEPA Safety leaflets:

"General" and "portable" for coated abrasives.

The following personal protective equipment should be used dependent on the operation and the material being ground:

Eye protection: Machine guarding and wear safety goggles of face shield.

**Hand protection**: Wear protective, cloth or leather gloves.

Ear protection: Use ear muffs.

Respiratory protection: Use antidust mask. **Skin protection**: Wear reliable protective clothing.

Advised ventilation: If necessary, use local exhaust or general ventilation to minimize exposure to dust.

### PHYSICAL AND CHEMICAL PROPERTIES

Physical State : solid : variable Color

Odor : Not applicable.
Density : Not applicable.
Vapor pressure : Not applicable.
Flash point : Not applicable.
Evaporation rate : Not applicable Explosion properties: Not applicable : Not applicable Viscosity Solubility in water : Not applicable Specific gravity : Not applicable. Melting point : Not applicable. Melting point

## STABILITY AND REACTIVITY

Coated abrasives are stable and non reactive when handled or stored.

**Conditions to avoid:** Not applicable.

Materials to avoid: Strong acids and bases ,concentrated strong oxidizing agents can modify product's characteristics, particularly those of the resin and can cause safety problems when used on machines. Hazardous decomposition products: When used in accordance with instructions no hazardous

decomposition products are created.

Hazardous polymerization: Will not occur.



## **TOXICOLOGICAL INFORMATION**

During handling and storing not applicable.

Dusts arising from use can cause eye inflammation, irritation of respiratory system.

When properly used, coated abrasives have no health hazards.

Coated abrasives are not acutely toxic products.

### **ECOLOGICAL INFORMATION**

Motion: Not applicable.

**Persistence and biodegradation property:** Not biodegradable.

<u>Potential of bioaccumulation :</u> Not applicable. <u>Ecotoxicity data :</u> Specific information not available

### **DISPOSAL INFORMATION**

#### **Product**

Follow national and regional regulations;

Due to the ingredients and properties disposal as hazardous waste (2000/532/EC) is possible if no hazardous materials are added to the abrasives. (EWC – Nr. 120120)

Due to the ingredients and properties disposal as hazardous waste (2000/532/EC) (EWC - Nr. 120120)

#### **Packing**

Follow national and regional regulations.

## TRANSPORT INFORMATION

Coated abrasives are not hazardous products.

The product is not covered by international regulation on the transport of dangerous goods.

# REGULATORY INFORMATION

**EC** Regulations: No specific marking is required by EC regulation 1999/45/ EC.

**National or local regulations:** Refer to relevant documents.

### OTHER INFORMATION

Information given in this Material Safety Data Sheet is based on data available currently and written according to our knowledge for product handling under normal conditions. Since the use of this information and the conditions of use of this product are not within the control of Manufacturer, users who are responsible for the use of coated abrasives must strictly follow.

Page 3 of 3